





## Material Safety Data Sheet

Company	:	Biobizz Products Grasdijkweg 18 9798 TC Garmerwolde The Netherlands
Commercial name	:	Root juice
1.1	Chemical characterization:	humic acids
1.2	Form :	30 % water suspension
1.3	Colour :	Light Brown
1.4	Odour :	Sweet
2.	Physical Data and Safety Data	
2.1	Change in physical state:	no data
2.2	Density :	030. - 0.6 kg/dm3
	Bulk density :	300-600 kg/dm3
2.3	Vapour pressure :	NA
2.4	Viscosity :	NA
2.5	Solubility :	soluble in water
2.6	PH value :	4.0
2.7	Flash point :	Not flammable
2.8	Ignition temperature :	No data
2.9	Explosion limit :	NA
2.10	Thermal decomposition :	NA
2.11	Hazardous thermal Decomposition products:	NA
2.12	Hazardous reaction :	NA
2.13	Further information :	No
3.	Transport UN no IMDG code	No special precautions
	Shipping name :	Root juice
4.	Regulations:	Not dangerous
		In case of contact with eyes, rinse with water and Obtain medical advice if irritation persists.

**Air contamination limits: No Data**

**5 Storage, handling and Protective measures**

5.1	Storage	:	Store in a dry, cool place at room temperature
	Handling	:	Use normal standards
5.2	Respiratory protection:		No special precautions
	Eyes protection	:	Goggles
	Hand protection	:	Gloves
	Other	:	None
5.3	Industrial hygiene	:	No special precautions
5.4	Fire and explosion	:	Not relevant
5.5	Disposal	:	No special precautions

**6 Measures in case of accidents and fires**

6.1	Spillage disposal	:	May be washed away to drain or sewer, but observe all local legal requirements.
6.2	Extinguishing media	:	NA
6.3	First aid	:	In case of contact with eyes, rinse with water and obtain medical advice if irritation persists.
6.4	Further information	:	None
7.	Toxicology	:	NA
8.	Ecological effects	:	Root stimulator.
9.	Further information	:	None

---

Every endeavour has been made to ensure that the information contained in this leaflet is reliable, but we cannot accept liability for any loss, injury or damage, which may result from its use. Data given in this DIN safety data sheet are solely for guidance in safe handling and use of the products by customers; they do not form part of any specification. If any difficulties arise, we shall be glad to discuss them. Customers are encouraged to conduct their own tests following discussion with our technical application management. The above information is based on experience, but it is always advisable for customers to satisfy themselves, by consultation with our technical application management and small scale tests if necessary, that the product which they have selected is suitable for their purpose under their conditions of use.